

ICE-2231

(Data Structure and Algorithm)

Lecture on

Chapter-1: Introduction

By

Dr. M. Golam Rashed

(golamrashed@ru.ac.bd)



Department of Information and Communication Engineering (ICE)
University of Rajshahi, Rajshahi-6205, Bangladesh

Course Details

Course Code: ICE 2231

Course Title: Data Structure and Algorithm

Total Credit:3 , Total Marks: 75

Total Lecture: 39 Exam Duration: 3 H

Course Contents

Introduction: Data types and data structures, data structure operations, performance analysis, linear arrays, relationships of arrays, operation on arrays, multidimensional arrays, pointers, record structures, representation of records, sparse matrices.

Linked List: Linked lists, Representation of linked list, Traversing and searching a linked list, Doubly linked list and dynamic storage management, Generalized list, Garbage collection and compaction.

Stacks, Queues and Recursion: Fundamentals, Different types of stacks and queues, Evaluation of expressions, Recursion, Direct and indirect recursion, Depth of recursion, Implementation of recursive procedures by stacks.

Trees and Graphs: Basic terminologies, Binary trees, Binary tree representation, Tree traversal, Extended binary tree, Huffman codes/algorithm, Graphs, Graph representation, Traversing a graph, Shortest path and transitive closure.

Sorting and Searching: Insertion sort, Heap sort, Bubble sort, Radix sort, Complexity of different types of sorting.

Divide and Conquer method: General method of divide and conquer technique, The maximum sub array problem, Merge sort, Quick sort, Selection sort, Binary search.

Greedy Methods: The general method, Knapsack algorithm, Tree vertex splitting, Job sequencing with deadline, Optimal merge patterns, Minimum cost spanning trees: Prim's algorithm, Kruskal's algorithm.

Dynamic Programming: The general method, multistage graphs, All pairs shortest paths, Single source shortest paths problems, The travelling salesman problem.



CO-1	Describe different types of data structures and algorithms.
CO-2	Analyze how the choice of data structures and algorithms design methods impacts the performance of programs.
CO-3	Solve complex problems using the knowledge of advanced algorithms.


Assessment and Evaluation Strategy:

Student will be assessed on basis of their overall performance in all the exams, class tests, assignments, and class participation. Final numeric reward will be the compilation of:

- Four class tests/Assignments/Quizzes (20%)
- Class participation (10%)
- Final exam (70%)

COs	
	Class test /Assignment /Quizzes
CO1	✓
CO2	✓
CO3	

Final exam



Text Books:

1. S Lipschutz

Reference Books:

2. E. Horowitz and S. Sahni

3. E. Horowitz and S. Sahni

4. Reingold

5. T. H. Cormen, C. E. Leiserson



120

75

55

Seymour Lipschutz



- ✓ Data are simple values or set of values.
- ✓ **Data item** refers to a single unit of values
- ✓ Data items that are divided into sub-items are called group items.

For example:

An employee's name may be divided into three sub item.....

- ❖ First name
- ❖ Middle name
- ❖ Last Name

But, NID number would be normally be treated as a single item



120 km in distance

75 kgs in weight

55 cm in height

Writer: Seymour Lipschutz



- ❖ Collection of data are frequently organized into a
 - Hierarchy of fields
 - Records
 - Files

Entity?

An entity is something that has certain **ATTRIBUTE** or **PROPERTIES** which may be assigned **VALUES**.

└→ may be numeric or non-numeric

ATTRIBUTE	NAME	Age	Sex	Height	NID
Values	Jhon	30	Male	65 cm	27642847




Entity Set?

Entities with similar ATTRIBUTES form entity set.

Example:

- All the employee in an organization
- All the students of any department.

✓ Each attribute of an entity set has a range of values




ICE 2231/ Introduction



any shortest-length paths are
get from your house to the
ut shop?



$$\binom{n}{k} = \frac{n!}{(n-k)!k!}$$




1 0 1

1 0 1 B_6

1 0 1 0 0 0 1 0 1

B_9

$$\binom{11}{7} = \binom{11}{4} = 330 \text{ paths}$$



Onto



There are six dogs to give 13 tacos.
rs and bars' diagram to illustrate the first
dog get 3 tacos, the second dog gets none,
dog gets 5 and the fourth dog gets one.



One-to-One



$$(A \cup B \cup C) \cup (A \cap B \cap C)$$



P	Q	R	P V Q	P V R	(P V Q) ^ (P V R)
T	T	T	T	T	T
T	T	F	T	T	T
T	F	T	T	T	T
T	F	F	T	T	T
F	T	T	T	T	T
F	T	F	T	F	F
F	F	T	F	T	F
F	F	F	F	F	F

Find $7 + 12 + 17 + 22 + \dots + 342$.

$$S_n = 7 + 12 + 17 + 22 + \dots + 342$$

$$+ S_n = 342 + 337 + 332 + 327 + \dots + 7$$

$$2S_n = 349 + 349 + 349 + 349 + \dots + 349$$

$$2S_n = 349 \cdot 68$$

$$S_n = \frac{349 \cdot 68}{2}$$

$$S_n = 11866$$



$$v - e + f = 2$$

Original:
 $\exists x \forall y (x \geq 2y \rightarrow x$

Converse:
 $\exists x \forall y (x > y + 1 \rightarrow$

Negation:
 $\neg [\exists x \forall y (\neg (x \geq 2y) \vee x$

$\forall x \exists y (x \geq 2y \wedge x \leq$

Contrapositive:
 $\exists x \forall y (x \leq y + 1 \rightarrow$



Data Structure?

Data may be organized in many different ways.

The logical or mathematical model of a particular organization of data is called a **data structure**

✓ **Particular data model depends on TWO consideration:**

1. It must be rich enough in structure to mirror the actual relationships of the data in real world.
2. The structure should be simple enough that can be efficiently process the data when necessary.



Some Data Structure

STUDENT

1	John Brown
2	Sandra Gold
3	Tom Jones
4	June Kelly
5	Mary Reed
6	Alan Smith

One D array

Dept. Store	1	2	3	4
1	2872	805	3211	1560
2	2196	1223	2525	1744
3	3257	1017	3686	1951
...
28	2618	931	2333	982

Fig. 1-2

Two D array

	Customer	Salesperson
1	Adams	Smith
2	Brown	Ray
3	Clark	Jones
4	Drew	Ray
5	Evans	Smith
6	Farmer	Jones
7	Geller	Ray
8	Hill	Smith
9	Infeld	Ray

Fig. 1-3




Fig. 1-4

Linked List

	Salesperson	Pointer
1	Jones	3, 6
2	Ray	2, 4, 7, 9
3	Smith	1, 5, 8

Fig. 1-5




Fig. 1-6




Fig. 1-7

Hierarchical

$$(2x+y)(a-7b)^3$$




Fig. 1-8

Data Structure: Array



Simplest types of data structure

❖ One dimensional array /Linear

STUDENT	
1	John Brown
2	Sandra Gold
3	Tom Jones
4	June Kelly
5	Mary Reed
6	Alan Smith

Fig. 1-1

❖ Two dimensional Array

Dept. Store	1	2	3	4
1	2872	805	3211	1560
2	2196	1223	2525	1744
3	3257	1017	3686	1951
...
28	2618	931	2333	982


Fig. 1-2

Data Structure: Link List




	Customer	Salesperson
1	Adams	Smith
2	Brown	Ray
3	Clark	Jones
4	Drew	Ray
5	Evans	Smith
6	Farmer	Jones
7	Geller	Ray
8	Hill	Smith
9	Infeld	Ray

Fig. 1-3



	Salesperson	Pointer
1	Jones	3, 6
2	Ray	2, 4, 7, 9
3	Smith	1, 5, 8

Fig. 1-5



Advantages: An integer used as a pointer requires less space than a name. Hence this representation saves spaces, if there are hundreds of customers for each salesman



Data Structure: Tree

Data frequently contain a hierarchical relationship between various elements. The data structure reflects this relationship is called a rooted tree graph or simply a tree





Fig. 1-7





Fig. 1-8


Data Structure: Stack



(a) Stack of dishes.

LIFO


Data Structure: Queue



(b) Queue waiting for a bus.

FIFO

Data Structure: Graph



(c) Airline flights.

Data Structure Operations



The data appearing in our data structure are processed by mean of certain operations.

The most frequently used of these operation are:

- 1.Traversing
- 2.Searching
- 3.Inserting
- 4.Deleting
- 5.Update
- 6.Sorting
- 7.Merging

Data Structure Operations



Accessing each record once so that certain items in the record may be processed (Visit).

Example:

An organization contains a membership file in which each record contains data for a given member:

Name	Address	Tel. Number	Age	Sex
------	---------	-------------	-----	-----

- (a) Suppose the organization wants to announce through a mailing.
- (b) Suppose one wants to find the name of all members in a certain area.

Operation: Traversing

Data Structure Operations



Finding the location of the record with a given key value, or finding the locations of all records which satisfy one or more condition.

Example:

An organization contains a membership file in which each record contains data for a given member:

Name	Address	Tel. Number	Age	Sex
------	---------	-------------	-----	-----

(a) Suppose one wants to obtain address for a given name.

Operation: Searching

Data Structure Operations



Adding a new record to the structure

Example:

An organization contains a membership file in which each record contains data for a given member:

Name	Address	Tel. Number	Age	Sex
------	---------	-------------	-----	-----

(a) Suppose a new person joins the organization.

Operation: Inserting

Data Structure Operations



Removing a record from the structure

Example:

An organization contains a membership file in which each record contains data for a given member:

Name	Address	Tel. Number	Age	Sex
------	---------	-------------	-----	-----

(a) Suppose a Member dies.

Operation: Deleting

Data Structure Operations



Changing items in the record with the new data

Example:

An organization contains a membership file in which each record contains data for a given member:

Name	Address	Tel. Number	Age	Sex
------	---------	-------------	-----	-----

(a) Suppose a member has moved and has a new address and telephone number.

Operation: Updating

Data Structure Operations



Arranging the record in some logical order (e.g. alphabetically according to some NAME key)

Example:

An organization contains a membership file in which each record contains data for a given member:

NAME	Address	Tel. Number	Age	Sex
------	---------	-------------	-----	-----

(a) Suppose One wants to obtain all the members list according to alphabetical order of their family name.

Operation: Sorting

Data Structure Operations



Combining the records in two different sorted files into a single sorted file.

Example: Exam Answer Script

Operation: Merging

Algorithms ?



An algorithm is a well-defined list of step for solving problem.

The efficiency of an algorithm is obtained by measuring the **TIME** and **SPACE** it uses.

Algorithms Notation



(Largest Element in Array) A nonempty array **DATA** with **N** numerical values is given. This algorithm finds the location **LOC** and the value **MAX** of the largest element of **DATA**. The variable **K** is used as counter.

- **Step 1. [Initialize] Set $K:=1$, $LOC:=1$ and $MAX := DATA[1]$.**
- **Step 2. [Increment counter.] Set $K:=K+1$.**
- **Step 3. [Test counter.] If $K>N$, then:**

Write: LOC, MAX, and Exit.

- **Step 4. [Compare and update.] If $MAX < DATA[K]$, then:**

Set $LOC:=K$ and $MAX := DATA[K]$.

- **Step 5. [Repeat loop.] Go to Step 2.**

Algorithms Notation



(Largest Element in Array) A nonempty array **DATA** with **N** numerical values is given. This algorithm finds the location **LOC** and the value **MAX** of the largest element of **DATA**. The variable **K** is used as counter.

- Step 1. [Initialize] Set $K:=1$, $LOC:=1$ and $MAX := DATA[1]$.
- Step 2. [Increment counter.] Set $K:=K+1$.
- Step 3. [Test counter.] If $K>N$, then:
 Write: LOC, MAX, and Exit.
- Step 4. [Compare and update.] If $MAX<DATA[K]$, then:
 Set $LOC:=K$ and $MAX := DATA[K]$.
- Step 5. [Repeat loop.] Go to Step 2.

- ✓ The Steps of the algorithm are executed one after the other, beginning with **Step 1**
- ✓ Control may be transferred to **Step n** of the algorithm by the statement “**Go to Step n**”
- ✓ If several statements appear in the same step, e.g.,
 Set $K:=1$, $LOC:=1$ and $MAX := DATA[1]$.
 then they are executed from **LEFT TO RIGHT**
- ✓ The algorithm is completed when the statement
 Exit. Is encountered.

Algorithms Notation



(Largest Element in Array) A nonempty array **DATA** with **N** numerical values is given. This algorithm finds the location **LOC** and the value **MAX** of the largest element of **DATA**. The variable **K** is used as counter.

- Step 1. [Initialize] Set $K:=1$, $LOC:=1$ and $MAX := DATA[1]$.
- Step 2. [Increment counter.] Set $K:=K+1$.
- Step 3. [Test counter.] If $K>N$, then:
 Write: LOC, MAX, and Exit.
- Step 4. [Compare and update.] If $MAX < DATA[K]$, then:
 Set $LOC:=K$ and $MAX := DATA[K]$.
- Step 5. [Repeat loop.] Go to Step 2.

- ✓ The **[comment]** will usually appear at the beginning or the end of the step.
- ✓ Variable names will use capital letters as in MAX and DATA.
 - Single-letter names of variables used as counters or subscripts will also be capitalized in the algorithms (K and N, for example).

Algorithms Notation



(Largest Element in Array) A nonempty array **DATA** with **N** numerical values is given. This algorithm finds the location **LOC** and the value **MAX** of the largest element of **DATA**. The variable **K** is used as counter.

- Step 1. [Initialize] Set $K:=1$, $LOC:=1$ and $MAX := DATA[1]$.
- Step 2. [Increment counter.] Set $K:=K+1$.
- Step 3. [Test counter.] If $K>N$, then:
 Write: LOC, MAX, and Exit.
- Step 4. [Compare and update.] If $MAX<DATA[K]$, then:
 Set $LOC:=K$ and $MAX := DATA[K]$.
- Step 5. [Repeat loop.] Go to Step 2.

- ✓ Assignment statements will use the dots-equal notation ($:=$).
 For example, $MAX := DATA[1]$. (Some time \leftarrow or $=$ is used for this operation)
- ✓ Data may be input and assigned to variables by means of a **Read** statement
 For example, Read: Variable names
- ✓ Similarly, data in variable may be output by mean of a **Write** or **Print** statement

For example, Write: Message and / or variable names.